# Land Information Memorandum L262633

## Application

Renee Dooley
Saunders Robinson Brown
PO Box 166
Rangiora 7440

**No.** L262633
**Application date** 19/10/2026
**Issue date** 29/10/2026
**Phone** 033774470

## Property

| | |
|---|---|
| **Valuation No.** | 2405514266 |
| **Location** | Lincoln Rolleston Road |
| **Legal Description** | Lot 701 DP 623641 |
| **Owner** | Urban Estates 22 Limited |
| **Area (hectares)** | 2.6530 |

Being a relatively new subdivision the contents of this report may also contain comments which are relevant to the underlying parent title. Where possible only information which is relevant to the parcel of land being the subject of this request have been included.

## Rates

### Rateable Value

The date of Selwyn's last General Revaluation was 1/09/24. For further information please contact Council's Rates Department.

| | | |
|---|---|---|
| **Revaluation Year** | 2024 | |
| **Land** | | $3,800,000.00 |
| **Improvements** | | $0.00 |
| **Capital Value** | | $3,800,000.00 |

### Current Rates Year 2026 to 2027

| | |
|---|---|
| **Annual Rates** | $7,075.65 |
| **Current Instalment** | $1,768.90 |

| | |
|---|---|
| **Current Year - Outstanding Rates** | $1,768.90 |
| **Arrears for Previous Years** | $0.00 |
| **Next Instalment Due** | 15/12/2026 |

Next Revaluation Due 2027

**Please note:** The rates information in this report is current as at the date of issue only. Rates balances may change after that date. Property owners requiring confirmation of the current rates balance, including for settlement purposes, should contact Council's Rates Team directly.

If this property is vacant land, and the applicant intends building a house or making other improvements, additional rates and charges will be added. Such rates and charges are for the operation of the District libraries, local community centre and recreation reserves, refuse collections and recycling.

If a ratepayer in the district purchases additional properties, that ratepayer maybe eligible for certain rating exemptions due to multiple ownership. The exemptions would only apply to uniform library charges on bare land blocks and an exemption from the uniform annual general charge if contiguous or same use land is purchased.

Please contact the Councils rates team if you require clarification on 0800 SELWYN (735 996).

Note: Rates are charged in four equal instalments for the period commencing 1 July and ending 30 June each year.

## Planning/Resource Management

**Partially Operative District Plan:** Medium density residential zone
**Operative District Plan Zoning:** Living MD1

The Council has undertaken a review of the Operative District Plan and through this process it has developed a New District Plan ('The Partially Operative District Plan') which provides clear objectives, policies and rules to manage the effects of land use activities on the environment, but also sets a clear direction for our district's development and reflects our communities' needs and expectations. It also incorporates any changes in legislation, national and regional policy statements, environmental standards and other regulations.

The period for lodging appeals against decisions on the Partially Operative District Plan closed on the 6th of October 2023 and the Council released the Appeals Version of the Partially Operative District Plan on 27th November 2023.

Many provisions in Partially Operative District Plan are now beyond challenge and are operative/treated as operative (pursuant cl 103 of Schedule 1 and s86F of the Resource Management Act (1991). The Operative District Plan now only applies where a relevant provision in the Partially Operative District Plan remains subject to appeal. For more information visit https://selwyn.govt.nz/property-And-building/planningstrategies-and-plans/selwyn-district-plan/selwyn-district-plan-review

Resource Consent 245259b
Change Of Conditions Regarding Row Easements.
Withdrawn 06/05/2026

Resource Consent 245458a
Change Of Conditions To Vary Condition 1 Of Rc245458
Decision Notified 29/10/2025
Granted By Local Authority Officer 29/10/2025

Resource Consent 245460
To Cancel Consent Notices On Lots 700-703 Rc245118 Requiring Minimum Number Of Lots Associated With Rc245458
Decision Notified 05/08/2025
Granted By Independent Commissioner(s) 05/08/2025

Resource Consent 245458b
To Change Conditions 1 And 6 Of Rc245458
Decision Notified 10/06/2026
Granted By Independent Commissioner(s) 09/06/2026

Resource Consent 245118a
Change Of Conditions To Vary Conditions 1 And 4 Of Rc245118
Decision Notified 23/10/2025
Granted By Local Authority Officer 23/10/2025

Resource Consent 245119a
Change Of Conditions To Vary Condition 2 Of Rc245119
Decision Notified 23/10/2025
Granted By Local Authority Officer 23/10/2025

Resource Consent 245459
Land Use Under The Nes-cs And For Earthworks Associated With Rc245458 And Traffic Non-compliances
Decision Notified 05/08/2025
Granted By Independent Commissioner(s) 05/08/2025

Resource Consent 245118
To Undertake A Subdivision To Create 123 Residential Lots
Section 224 Issued 05/12/2025
Granted By Independent Commissioner(s) 11/12/2024

Resource Consent 245119
To Undertake Earthworks Associated With Rc245118
Decision Notified 11/12/2024
Granted By Independent Commissioner(s) 11/12/2024

Resource Consent 245258b
Change Of Conditions To Allow For An Additional Stage (9b).
Withdrawn 06/05/2026

Resource Consent 245458
To Undertake A Subdivision To Create 282 Residential Lots, 1 Balance Lot, 2 Recreation Reserves, 3 Local Purpose Reserves, 1 Utility Reserve And Associated Roads As Part Of Stage 7-17 Of Broadfield Grange Subdivision
Section 224 Issued 29/05/2026
Granted By Independent Commissioner(s) 05/08/2025

Resource Consent 245459a
Change Of Conditions To Vary Condition 1 Of Rc245459
Decision Notified 29/10/2025
Granted By Local Authority Officer 29/10/2025

## Planning Notes

The information provided on this LIM has come from the information lodged against the property file/information and GIS at the time of processing. Please note that the resource consents, fill certificates and other relevant property files listed are based on what is available on our general property information, and that there may be other documents for the property which have not yet been added to the property record.

Resource Consents often contain a multitude of information and reports that are not ordinarily separately referenced or included in the LIM itself. Information identifying each (if any) special feature or characteristic of the land concerned, including but not limited to potential erosion, falling debris, subsidence, slippage, alluvion, or inundation, or likely presence of hazardous contaminants.

Preliminary Site Investigation Reports, Detailed Investigation Site Reports and Geotechnical Reports are submitted as part of the subdivision Resource Consent Process it is not likely to be currently of relevance in relation to the "land concerned", otherwise it would be elsewhere noted on the LIM to the extent any issues still apply following subdivision).

Any resource applications or consents that may contain information relating to the land which is not otherwise included in the LIM, including Geotechnical, Environmental and other expert reports, can be obtained via Selwyn District Council Information Management team on information.management@selwyn.govt.nz

Reference: DEV-RO10,DEV-RO11
This property has been identified in the Partially Operative District Plan as being located within a Development Area which spatially identifies and manages an area where additional place-based provisions may apply to subdivision and development. For further information visit https://eplan.selwyn.govt.nz/review or contact the duty planner on 0800 SELWYN (0800735996)

Resource Consent 245458

Note that this subdivision has not been issued with a Completion Certificate and that further works or inspections maybe required before this Certificate can be issued. If you are purchasing this property 'off the subdivision plans' meaning that no Record of Title has yet been issued, it is strongly recommended that you thoroughly check the conditions of the subdivision consent which created this site. These conditions may place restrictions on how the site is used which will be recorded on the Record of Title though a consent notice or covenant.

A resource consent may not be required to establish a residential unit on this property subject to compliance with the provisions of the District Plan. For further information visit https://eplan.selwyn.govt.nz/review or contact the duty planner on 0800 SELWYN (0800735996).

There is a consent notice on the Record of Title to this property. This records a condition/s of a subdivision consent which must be complied on an ongoing basis.

# Building

There are no known buildings sited on this property at the time of issuing this report.

Buildings erected prior to 1965 may not have a building permit record or had inspections carried out.

All building products and materials have a designed life, and must be maintained in accordance with the manufacturer's specifications.

In the case of building permits and building consents no further inspections have been carried out by the council since these structures were completed.

Any concerns of this nature should be referred to an organization that carries out property checks or the product manufacturers.

## Schedule 1 Exempt Building Work

Under section 42A of the Building Act 2004 building owners can carry out certain types of building work specified in Schedule 1 of the Building Act 2004 without need to obtain building consent approval. Where Council holds any information provided by a property owner in relation to exempt works undertaken on the property it is important to note that Council do not check or review the documentation for compliance, it is simply filed for record keeping purposes and not to satisfy any statutory obligation. Any information held of this nature has been provided at Councils discretion under Section 44A (3) of the Local Government Official Information and Meetings Act 1987 without any representation or warranty.

# Services

## Water

Rolleston Water supply will be available to this subdivision, but it is not connected - the connections will be metered. However, this Lot is still under one valuation number. It is noted in the Water Supply Bylaw 2008 that each Premises may only have one Point of Supply (11.2(b)), you can find a copy of this bylaw on the Selwyn District Council website. Until such a time as it is subdivided properly into separate lots, only one connection will be allowed for water. This means that only one water rates bill will be sent to only one owner who would essentially pay for all the water on the site. Any further connections to the water network cannot proceed without the necessary engineering approvals.

Once an application for sub-division has been formally put in place and approved by Council then new connections can be applied for through the Selwyn Water Ltd website: https://www.selwynwater.co.nz/building-and-development/connecting-to-our-network

Any lateral that runs along a neighbouring dwelling/lot will require a formal easement to be put in place to protect the service from being built over in the future.

Please ensure that the toby box is not buried or covered over during the building or landscaping process. Please also keep any plantings a minimum of 0.5m away from the toby box to avoid problems with maintenance and access in the future.

## Sewer

Once the property is subdivided properly, the individual Lots will be serviced through Selwyn Water Ltd gravity sewer network. Where laterals cross over individual lots, the applicant to note that SWL operators may require to access the sewer pipes for any maintenance or renewal works in the easement area over the services and may require the surface to be excavated. Council will not be liable for reinstatement of hard surfaces to exact shade or texture matching. The Drainage design will require an engineering approval.

## Stormwater

Stormwater to be determined with new subdivision, please contact Selwyn District Council's Surface Water Team for further information. This property may be located within an area covered by an Environment Canterbury stormwater consent. It is the responsibility of the property owner to contact Environment Canterbury to ensure that any activity undertaken on site complies with the relevant consent conditions. For further information contact Environment Canterbury customer services on 0800 324 636 or visit their website.

Note – the above describes the current roof water disposal type and does not reflect the future situation, which should be determined as part of the subdivision (if applicable). For more information please contact Council.

If you have any questions about the Water or Sewage please contact Selwyn Water Limited at 0800 735 H2O (426) or hello@selwynwater.co.nz . For Stormwater information please contact the Selwyn District Council Surface Water at 0800 SELWYN or contactus@selwyn.govt.nz

## Water Races

There is a closed water race on this property, the channel may or may not have been filled by the property owners. Council is not responsible for maintenance of any remaining channels.

### Drains

None known

### Kerbside Waste Collections

The Council provides refuse and recycling collection services for most residential and rural residential properties where these properties occur alongside maintained public roads. Private roads and Right of Ways (as maybe referenced in the Transportation Notes pertaining to this LIM) will not be directly serviced as these access ways are not usually of a sufficient standard to be used safely and efficiently by the collection vehicles. This could also apply to other public roads or streets that are narrow and/or have a lack of vehicle turning facilities. Rural and high country areas and settlements are not covered by regular collection services however localised refuse drop off facilities maybe available for use in specific areas. For further details and advice on refuse collection and recycling services as they may pertain to the property please phone the Council's Asset department on phone 3472 800.Selwyn District Council - Collection Days & Routes

If your address shows “no results found”, this means:

- your property is not serviced directly by kerbside collections
- you have a new property and either
- you have requested for your property to be added to the route and it is in the process of being added
- you have not yet requested for your property to be added to the route.

Please contact the Council for further detail.

## Land and Building Classifications

### Energy Infrastructure and Transport

None known

### Culture and Heritage

None known

### Natural Environment

None known

### District-wide matters

None known

## Area-specific matters

None known

## Land Notes

Land Notes: The flight paths for the Christchurch International Airport takes air traffic over this general area.

Land Notes: This property is located within the area encompassed by the Greater Christchurch Urban Development Strategy (UDS). The UDS is a joint initiative to plan and manage the growth of the Greater Christchurch Region over the next 35 years and is a partnership between the Christchurch City Council, Environment Canterbury, the Waimakariri District Council, Selwyn District Council, and Waka Kotahi NZ Transport Agency.
The Selwyn District Council is developing several strategic documents that seek to implement the UDS that may have an impact on this property in the future. Further information on Council projects can be found on the Council's website www.selwyn.govt.nz or by contacting the planning department on 0800 SELWYN (0800735996).

Land Notes: This property is within the area encompassed by the 2007 Christchurch, Rolleston, and Environs Transportation Study (CRETS). The published Strategy outlines a range of strategic transportation initiatives to cater for long term growth in this area of the district. This includes the upgrading of existing roads and the provision of new roads which may affect private property. Further information on this Study can be viewed on the Councils website www.selwyn.govt.nz under Transportation and Roading.

## Listed Land Use Register (LLUR):

Hazardous activities and industries involve the use, storage or disposal of hazardous substances. These substances can sometimes contaminate the soil. Environment Canterbury identifies land that is used or has been used for hazardous activities and industries. This information is held on a publicly available database administered by Environment Canterbury called the Listed Land Use Register (LLUR). The Selwyn District Council may not hold information that is held on the LLUR, therefore, it is recommended that you check Environment Canterbury’s online database at www.llur.ecan.govt.nz.

## Residential Swimming Pool

No pool registered to this property.

### Land Transport Requirement

Lady Issac Drive is a formed and sealed local road maintained by Selwyn District Council. Other nearby roads are under construction here due to subdivision development.

This property maybe effected by proposed roading and access changes relating to the Waka Kotahi NZ Transport Agency Rolleston Flyover and State Highway Access Improvement Project. Further information and contact details can be found at www.nzta.govt.nz/rollestonflyover

## Natural Hazards

This section sets out information that the Council holds relating to natural hazards, such as earthquake, tsunami, erosion, landslip, liquefaction/sedimentation and subsidence, wind and snow, or flooding/inundation.

Climate change is causing natural hazards to become more severe, occur more often, and affect a wider range of areas.

If the Property is identified below as being subject to a natural hazard, it may have been issued a building consent with a waiver or modification of the Building Code to confirm that building work will accelerate, worsen, or result in a natural hazard on the land on which the building work is to be carried out or any other property. If a waiver or modification has been issued, this will be noted in the Building section of the LIM above.

You can obtain further information about natural hazard matters from:

- The District Plan Natural Hazard chapter: District Plan - Partially Operative Selwyn District Plan (Appeals Version)
- https://experience.arcgis.com/experience/f7b9c60d5a624147bb731b1afa7788dd#data_s=where%3AdataSource_2-19b106a45d6-layer-17%3A%22Assessment_ID%22%3D%272405514266%27&zoom_to_selection=true

  – use this map to view any of the natural hazards identified below that impact this Property or in the vicinity of the Property
- Our Duty Planner service at planning.technical@selwyn.govt.nz, or call 0800 SELWYN (735 996).

### Earthquake

All properties in New Zealand may be affected by earthquakes, however, the Council holds no additional information about potential earthquake hazards at this Property.

### Earthquake Prone Buildings

If this Property has an Earthquake Prone Building, this will be noted in the Building section of this LIM under "Earthquake Prone Buildings".

## Erosion

### District Plan information relating to erosion

None known

## Landslip and Rockfall

### Regional mapping of landslides / rock avalanches

An earthquake hazard assessment for infrastructure commissioned by Environment Canterbury in 2006 included a regional-scale map of earthquake-induced landslide susceptibility and locations of known rock avalanches. Further information can be found in the technical report: Selwyn District Engineering Lifelines Project: Earthquake Hazard Assessment, Geotech Consulting Ltd commissioned by Environment Canterbury, August 2006. The scope of this report is the Selwyn District. The purpose of the report was to assess earthquake hazards and their potential impacts on engineering lifelines (infrastructure) in Selwyn District.

Climate change may cause increased rain and storm intensity and frequency, and vegetation changes. These impacts of climate change may reduce the Property's resilience and exacerbate the landslip and rockfall hazard.

None known

## Liquefaction and Subsidence

### Liquefaction / Geotechnical risk

The Property is within an area where liquefaction damage is possible in future earthquakes. The Selwyn District Council has mapped areas where a liquefaction assessment is required, and other areas where a liquefaction assessment is only needed for certain activities. View Selwyn District Council's maps. View Selwyn District Plan rules relating to liquefaction / geotechnical planning requirements. Environment Canterbury has separately identified additional areas where liquefaction is possible. View Environment Canterbury's map showing areas where liquefaction is possible. Further information about liquefaction generally can be found in the following technical reports:

- Review of liquefaction hazard information in eastern Canterbury, including Christchurch City and parts of Selwyn, Waimakariri and Hurunui Districts, Environment

Canterbury, December 2012. This report covers the Coastal Canterbury from the Waipara River mouth to the Rakaia River mouth, including Banks Peninsula, and inland to Rangiora, Aylesbury, Selwyn and Southbridge. The purpose of this report was to collate liquefaction occurrence during the 2010/11 Canterbury earthquakes, and to determine liquefaction vulnerability.

- Selwyn District Engineering Lifelines Project: Earthquake Hazard Assessment, Geotech Consulting Ltd commissioned by Environment Canterbury, August 2006. This report covers the Selwyn District. The purpose of the report was to assess earthquake hazards and their potential impacts on engineering lifelines (infrastructure) in Selwyn District and for use in infrastructure and emergency management planning.

Climate change may cause changes in groundwater and sea level rise. These impacts of climate change may reduce the Property's resilience and exacerbate the impacts of the liquefaction and subsidence hazard.

As part of any building consent application, you may need a site-specific assessment or site subsoil investigation to establish the level of susceptibility to liquefaction or to confirm that 'good ground' can be achieved for any building work. The scope and testing of any site-specific assessment must be carried out by a CPEng Geotechnical engineer. The ground bearing capacity in this area may not achieve the requirements of the NZ Building Code Clause B1, and specific design may be required. The definition of 'good ground' can be found in the Definitions section of the NZ Building Code Handbook, and appropriate test methods are detailed in either NZS3604, or NZBC B1/VM4.

**Previous Reports:**
The Council holds the following geotechnical report(s) from previous consent processes. The reports may be specific to this Property, or if this Property was created through subdivision, the reports may relate to the subdivision as a whole. You can access these reports by making a Property File request from the Council:

- Geotechnical Investigation Report (RC245118), Engeo, commissioned by Urban Estates Ltd, 06/07/2023. This report affects 2 or more properties/a broad area or community. Purpose of the report: subdivision/land use.

Areas where there was evidence of liquefaction were mapped following the 2010/11 Canterbury earthquakes by Tonkin & Taylor for the Earthquake Commission (urban areas) and by a group of researchers for Environment Canterbury (rural, commercial and industrial areas). These are available on Environment Canterbury's liquefaction map. Further information can be found in the technical report: Review of liquefaction hazard information in eastern Canterbury, including Christchurch City and parts of Selwyn, Waimakariri and Hurunui Districts, Environment Canterbury, December 2012.

This report covers Coastal Canterbury from the Waipara River mouth to the Rakaia River mouth, including Banks Peninsula, and inland to Rangiora, Aylesbury, Selwyn and Southbridge. The purpose of this report was to collate liquefaction occurrence during the 2010/11 Canterbury earthquakes, and to determine liquefaction vulnerability.

## Tsunami

None known

## Flooding and Inundation

### District Plan information relating to flooding and inundation

This Property is within the following flooding or inundation overlay(s) or areas in the District Plan. Information and reports about the relevant overlay are included below. Climate change may cause increased rain and storm intensity and frequency, and sea level rise. These impacts of climate change may reduce the Property's resilience and exacerbate any flooding and inundation hazard.

*Plains Flood Management Overlay*

The Plains Flood Management Overlay in the Council's District Plan identifies areas where flooding from a 200-year Average Recurrence Interval (ARI) flood event needs to be managed. View a map of the overlay. View the rules relating to the overlay. Further information can be found in the following technical reports:

- Selwyn River/Waikirikiri floodplain investigation, ECAN report, September 2019

- Regional Policy Statement Modelling for Selwyn District Council – District Plan, DHI Water and Environment Limited report, November 2019

### Environment Canterbury information regarding flooding and inundation

*Historic Flooding Photographs*

Photographs showing the property during or following past flood events may be available. Flood photographs are available on Environment Canterbury's flood imagery register.

### Other flooding and inundation information

Climate change may cause increased rain and storm intensity and frequency, and sea level rise. These impacts of climate change may reduce the Property's resilience and exacerbate any flooding and inundation hazard.

*Flood modelling*

This Property may be susceptible to flooding from the Selwyn River and/or in heavy rainfall events. View the flood model results. More detail can be found in the technical report: Selwyn District Flood Model - Hydraulic Model Build Report, Tonkin + Taylor commissioned by Selwyn District Council, August 2025.

*Ground Water Level*

The ground water level at this Property is Less than 30m below ground
for this Property. A high ground water level may exacerbate any flooding at this Property, or the impact of any flooding at this Property.

## Exposure Zones

Exposure zones are standardised categories for a property's potential exposure to certain risks. Any proposed building work may need specific engineering design, depending on the exposure of the construction site. The categories are based on two standards: NZS3604:2011 and AS/NZS1170:2002.

| | NZS3604:2011 | AS/NZS1170:2002 |
|---|---|---|
| **Wind Region** | A | A7 |
| **Snow Zone** | N4 | N4 Sub-alpine |
| **Earthquake** | Zone: 2 | Z Factor: 0.3 |
| **Approximate Altitude (Amsl)** | 36m | - |
| **Exposure Zone** | B | - |

### Exposure Zone Descriptions

Zone B: Low
Inland areas with little risk from wind blown sea-spray salt deposits

Zone C: Medium
Inland coastal areas with medium risk from wind blown sea-spray salt deposits. This zone covers mainly coastal areas relatively low salinity. The extent of the affected area varies significantly with factors such as winds, topography and vegetation.

Zone D: High
Coastal areas with high risk wind blown sea-spray salt deposits. This is defined as within 500 m of the sea including harbours, or 100 m from tidal estuaries and sheltered inlets.

# Special Land Features

## Soil Type

Templeton moderately deep fine sandy loam

## Land Fill

Engineered fill may be present on this site. As the subdivision process has yet to be completed council has no information available regarding extent and depth of any fill that may have been placed on site. A site subsoil investigation will need to be carried out prior to building to verify that 'Good Ground' can be achieved on the site and to determine the subsoil classification in accordance with NZS1170. Verification of good ground and data of site investigation must be submitted as part of the building consent or certificate of acceptance application. The definition of 'Good Ground' can be found in the definitions section of the New Zealand Building Code Handbook, and appropriate test methods are detailed in either NZS3604, or NZBC B1/VM4.

# Licences/Environmental Health

None known

# Network Utility Operators

Information related to the availability of supply, authorisations etc. (e.g. electricity or gas) can be obtained from the relevant Network Utility Operator.

# Other Information

1. The applicant is advised that the Environment Canterbury may have other information in relation to this property including, but not limited to:

   a) Discharge consents.

   b) Well permits.

   c) Consents to take water.

   d) The existence of contamination and/or hazardous sites.

   e) Flooding.

   f) Clean air discharge compliance.

   Further information may be obtained from Environment Canterbury by requesting a Land Information Request (LIR). To find out more contact the Environment Canterbury on 0800 ECINFO (0800 324 636) or at http://www.ecan.govt.nz/

2. The following further information is supplied on the basis set out in note 2 below.

## Notes

1. The information supplied in the sections of this report, other than 'Other Information', is made available to the applicant pursuant to Section 44A(2) of the Local Government and Official Information Act 1987 by reference to Council files and records. No property inspection, or title search, has been undertaken. To enable the Council to measure the accuracy of this LIM document based on our current records we would appreciate your response should you find any information contained herein which may be considered to be incorrect or omitted. Please telephone the Council on 0800 SELWYN (375 996).
2. The information or documents supplied to the applicant and referred to in the 'Other Information' section of this report has been supplied to the Council by property owners, their agents and other third parties. That information is made available pursuant to section 44A(3) of the Local Government and Official Information Act 1987 on the basis that:
   a) The information may be relevant to the purposes for which this report is obtained;
   b) The Council does not warrant or represent the accuracy or reliability of the information. If the subject matter of that information is important to the applicant it is recommended that relevant professional advice should be taken before reliance is placed upon that information.
3. The information included in the LIM is based on a search of Council records only and there may be other information relating to the land which is unknown to the Council. Council records may not show illegal or unauthorised building or works on the property. The applicant is solely responsible for ensuring that the land is suitable for a particular purpose.
4. Schedule 1 Exempt Building Work

   Building owners can carry out certain types of building work without needing to obtain a building consent. This exempt building work is listed in Schedule 1 of the Building Act 2004.

   It is the owners' responsibility to ensure that any exempt building work done complies with the Building Code and fits within the provisions of the schedule before they carry out the work.

   Please note that Council do not check or review documentation for compliance where information on exempt work has been provided by a property owner to Council. This information is simply filed for record keeping purposes and not to meet any statutory obligation.

Any information of this nature held by Council has been provided at Councils discretion under Section 44A (3) of the Local Government Official Information and Meetings Act 1987 without any representation or warranty.

5. The Council has used its best endeavors to ensure that all information provided in this LIM report is correct and complete in all material respects. In the event that a material error or omission can be proven the Council's liability, whether in contract or in tort shall be limited to the fee paid to Council to obtain this report.
6. This information reflects the Selwyn District Council's current understanding of the site, which is based only on the information thus far provided to it and held on record concerning the site. It is released only as a copy of those records and is not intended to provide a full, complete or totally accurate assessment of the site. As a result the Council is not in a position to warrant that the information is complete or without error and accepts no liability for any inaccuracy in, or omission from, this information.
7. The information contained in this Land Information Memorandum is current at the date the memorandum is issued. Further relevant information may come into the Council's possession subsequent to the date of issue.

Information Management Team

Date: 29/10/2026

# LIM Report Legend

## Base Layers

### Road
- Road

### Railway
- Railway

### District Boundary
- District Boundary

### Township Boundary
- Township Boundary

### Ratepayer Information
- Ratepayer Information

### Parcels
- Parcels

## PODP - Zones and Precincts

### Precincts
- Commercial Precincts
- Industrial Precincts
- Airfield Precincts
- Rural Precincts

### Zones
- Large lot residential zone
- Low density residential zone
- General residential zone
- Medium density residential zone
- Settlement zone
- General rural zone
- Neighbourhood centre zone
- Local centre zone
- Large format retail zone
- Town centre zone
- General industrial zone
- Special purpose zone

## Zone and Water Services

### SWL Water Points
- Supply Point
- Valve
- Node
- Hydrant
- Tank
- Irrigation
- Equipment
- Facility
- Meter
- Fire Plant

### SWL Water Lines
- Pipe - Treated
- Irrigation
- Pipe - Untreated
- Pipe - Sewer
- Pipe - Unknown
- Other

### SWL Private Water Points

### SWL Private Water Lines

### SDC Water Points
- EQUIPMENT - BORE
- EQUIPMENT _ GENERATOR
- EQUIPMENT - SAMPLE TAP
- EQUIPMENT - OTHER
- FACILITY
- FIRE PLANT
- HYDRANT
- IRRIGATION
- NODE
- OBSOLETE
- SUPPLY POINT
- TANK
- VALVE

### SDC Water Lines
- DIM LINE
- DUCT
- IRRIGATION
- NON SDC SERVICE
- OBSOLETE
- OUTLINE
- PIPE - TREATED
- PIPE - UNTREATED
- PIPE - SEWER
- SITE_BOUNDARY

### SWL Sewer Points
- Manhole
- Valve
- Chamber
- Node
- Equipment
- Facility

### SWL Sewer Lines
- Gravity
- Pressure
- Rising
- Other

### SWL Private Sewer Points

### SWL Private Sewer Lines

### SDC Sewer Points
TYPE
- CHAMBER
- EQUIPMENT
- FACILITY
- MANHOLE
- NODE
- VALVE

### SDC Sewer Lines
- OUTLINE
- DIM LINE
- DUCT
- IRRIGATION
- NON SDC SERVICE
- OBSOLETE
- OUTLINE
- PIPE_GRAVITY
- PIPE_RISINGMAIN
- SITE_BOUNDARY

### Storm Points
TYPE
- CHAMBER
- EQUIPMENT
- FACILITY
- INLET/OUTLET
- MANAGEMENT
- MANHOLE
- NODE
- SOAKHOLE
- SUMP
- VALVE

### Storm Lines
TYPE
- CHANNEL
- DIM LINE
- OBSOLETE
- OUTLINE
- PIPE
- SITE_BOUNDARY
- Soakhole w/Hoz Soakage
- StopBank

### Storm Polygons
TYPE
- CATCHMENTS
- CONSENT AREA
- GROUNDWATER LESS 6M
- OUTLINE OF BASIN
- RATED AREA

### Stormwater Management Area
- Stormwater Management Area

### West Melton Observatory Zone
- West Melton Observatory Zone

### Planning Zones
- High Country
- Port Hills
- Existing Devlopment Area
- Living 1
- Living 2
- Living 3
- Living X
- Living West Melton (North)
- Living Z
- Deferred Living
- Business 1
- Business 2
- Business 3
- Inner Plains
- Outer Plains
- Malvern Hills
- Key Activity Centre
- Living West Melton (South)

## Liquefaction Drains and Water Race

### CDrain_pt
- GATE
- Site
- WEIR

### CDrain_ln
- DRAIN
- ECan
- OUTLINE
- StopBank
- Site Boundary

### WRace_pt
- DISCHARGE
- DIVIDE
- EQUIPMENT
- GATE
- GRILL
- HEADWALL
- MANHOLE
- NODE
- POND
- SITE
- SHAFT
- SOAKHOLE

### WRace_ln
- AQUEDUCT
- CULVERT
- DIM LINE
- EMERGENCY DISCHARGE
- INTAKE
- LATERAL
- LOCAL
- MAIN
- OBSOLETE
- OUTLINE
- SIPHON
- TUNNEL

### SDC Cleaned
- SDC Cleaned

### Project Extent
- Project Extent

### Boundary Between Liquefaction Assessment Zones
- Boundary Between Liquefaction Assessment Zones


### Liquefaction Susceptibility
- DBH TC Zoned Area
- Damaging liquefaction unlikely
- Liquefaction assessment needed

## Ecan River Protection Scheme
- Properties Beside Rivers
- Halswell Staff Gauges
- Halswell Floodgates
- Halswell Drainage

## Greendale Fault
- Greendale Fault 50m Buffer
- Fault Lines (GNS 2013)
- Folds (GNS 2013)

## Biodiversity
- Canterbury Plains SDC AB and C Classes
- Endangered Flora and Fauna
- Potentially Significant Sites
- Confirmed SNA Sites
- Significant Natural Areas (Final 115)

# LIM REPORT - Zone and Water Services




Selwyn DISTRICT COUNCIL

Date: 27/10/2026

Cadastral Information dervided from Land Information New Zealand's Digital Cadastral Database (DCDB)
CROWN COPYRIGHT RESERVED
Approved for internal reproduction by Selwyn District Council
Digital Licence No.133562-01


# LIM REPORT - PODP Zone and Precinct




Selwyn DISTRICT COUNCIL

Date: 27/10/2026
Cadastral Information dervided from Land Information New Zealand's Digital Cadastral Database (DCDB)
CROWN COPYRIGHT RESERVED
Approved for internal reproduction by Selwyn District Council
Digital Licence No.133562-01

# LIM REPORT - Liquefaction, Drains and Water Races




Selwyn DISTRICT COUNCIL

Date: 27/10/2026
Cadastral Information dervided from Land Information New Zealand's Digital Cadastral Database (DCDB)
CROWN COPYRIGHT RESERVED
Approved for internal reproduction by Selwyn District Council
Digital Licence No.133562-01

## RESOURCE CONSENT INFORMATION

This document is one of three pages titled “Resource Consent Information” which should be read together.

- Because of the large number of resource consents only consents which fall within the red buffer as identified on the map have been included with this report.

- If further information is required please contact the Council’s Planning Department – Phone Direct 03 3472 868.

- Every effort is made by the Council to identify resource consent in proximity to the property subject to this LIM application. However, it is suggested that a site inspection be undertaken by prospective purchasers to identify any land uses of interest. These may include uses which have existing use rights or other uses which are permitted under the Council’s District Plan.


**Resource Consent Status Codes:**

| | |
|---|---|
| GHP | Granted by Hearing |
| GEC | Granted by Environment Court |
| GDEL | Granted by Delegation |
| GCOM | Granted by Commissioner |
| DCOM | Declined by Commissioner |
| DHP | Declined by Hearing |
| WD | Withdrawn application |
| AP | Approved |
| DC | Declined |
| Blank | No decision issued |
| DN | Decision Notified |

| | |
|---|---|
| ADN | Appeal Decision Notified |
| AE | Appeal expiry |
| AEC | Appeal Heard by Environment |
| AN | Abatement Notice |
| AR | Appeal received |
| ARI | Application returned incomplete |
| AWD | Appeal withdrawn |
| CC | Cancelled |
| CCI | Certificate Compliance Issued |
| D37 | Deferred under s.37 |
| D37E | s.37 deferral ends |
| D91 | Deferred under s.91 |
| D91E | s.91 deferral ends |
| ECDN | Environment Court Decision notified |
| FI | Further Information |
| FICR | Further Information request - no clock restart |
| FR | Formally received |
| HD | Hearing Date |
| HH | Hearing held |
| INV | Invoiced |
| IR | Information received |
| LAPS | Lapsed |
| LD | Lodged |
| LN | Limited Notified |
| LS | Lapsed |
| ODN | Objection decision notified |
| OH | On Hold |
| OR | Objection received |

| | |
|---|---|
| PA | Pre- application |
| PN | Publically notified |
| PS | Process suspended |
| RAD | Recommendation adopted by Council |
| RRA | Recommendation to required authority |
| S223 | Section 223 |
| S224 | Section 224 |
| SC | submissions closed |
| WAR | Written Approval Requested |
| WARE | Written Approvals Received |

# 2405514266


2405708000 - RC# 205190
2405710900 - RC# 195431
2405712000 - RC# 205079
2405725000 - RC# 245246
2405725000 - RC# 245091
2405725000 - RC# 255140
2405701100 - RC# 175071
2405701700 - RC# 205697
2405718100 - RC# 195012
2405768400 - RC# 215124
2405731000 - RC# 195020
2405716500 - RC# 195006
2405715900 - RC# 195245
2405516071 - RC# 235562
2405720800 - RC# 205313
2405514514 - RC# 245498
2405514514 - RC# 225835
2405506510 - RC# 265885
2405506510 - RC# 245360
2405506515 - RC# 265099A
2405506516 - RC# 255547
2405506516 - RC# 265691
2405506516 - RC# 255546
2405506515 - RC# 265099
2405506515 - RC# 265100
2405506515 - RC# 265129
2405506700 - RC# 304108
2405506700 - RC# 2655562
2405506700 - RC# 265555
2405506700 - RC# R302794
2352225300 - RC# R300246
2352225301 - RC# R300247
2405506900 - RC# R304776
2405506700 - RC# R3030092
2405506900 - RC# 215026
2405506900 - RC# PC250004
2352225400 - RC# 265630
2352225400 - RC# 265677
2352225400 - RC# 265678
2352225400 - RC# 265629
2405515103 - RC# 245496
2405515105 - RC# 145320
2405752700 - RC# 205056
2405737100 - RC# 215281
2405759900 - RC# 205653
2405736200 - RC# 195175
2405733200 - RC# 215332
2405733100 - RC# 215012
2405787300 - RC# 215865
2405788400 - RC# D200168
2405788100 - RC# 215271
2405788000 - RC# 215305
2405731700 - RC# 255258
2405753400 - RC# 215166
2405739700 - RC# 205436
2405739600 - RC# 205194
2405739400 - RC# 205449
2405739300 - RC# 195721
2405761000 - RC# 215086
2405786355 - RC# 245282
2405785400 - RC# 205745
2405755300 - RC# 205324
2405755000 - RC# 205459
2405784100 - RC# 215004
2405783100 - RC# 215018
2405513538 - RC# 235257
2405514187 - RC# 255964
2405514147 - RC# 255964
2405514137 - RC# 255603
2405514114 - RC# 255532
2405514181 - RC# 255576
2405514163 - RC# 265548
2405514182 - RC# 255530
2405514031 - RC# 265406
2405514030 - RC# 256094
2405514027 - RC# 265006
2405515434 - RC# 265207
2405515345 - RC# 265025
2405515330 - RC# 265188
2405515329 - RC# 265363
2405515301 - RC# 265264
2405514210 - RC# 265339
2405514253 - RC# 265160
2405514015 - RC# 265063
2405514247 - RC# 265228
2405514211 - RC# 265457
2405514213 - RC# 265125
2405514224 - RC# 265475
2405514224 - RC# 265476
2405514003 - RC# 265050
2405514010 - RC# 265897
2405514006 - RC# 256183
2405513736 - RC# 255823
2405513732 - RC# 265826
2405513661 - RC# 245465
2405513667 - RC# 255416
2405513509 - RC# 245873
2405513628 - RC# 245361
2405513608 - RC# 245162
2405513602 - RC# 245139
2405513594 - RC# 255845
2405513594 - RC# 265861
2405513410 - RC# 265240
2405513410 - RC# 255267
2405513410 - RC# 255266
2405236000 - RC# R301667
2405236100 - RC# R303714
2405236308 - RC# R306927
2405236308 - RC# R306928
2405236308 - RC# 225799
2405236308 - RC# 265152
2405236308 - RC# 265153
2405236308 - RC# 225799A
2405236308 - RC# R303739
2405236310 - RC# 235314
2405508500 - RC# 255444
2405508500 - RC# 255443
2405509574 - RC# 265647
2405509574 - RC# 265774
2405509574 - RC# 265846
2405509100 - RC# 245401A
2405509100 - RC# 255899
2405509100 - RC# 255900
2405509100 - RC# 245401B
2405507900 - RC# R305629
2405508100 - RC# 145020
2405508700 - RC# 175408
2405508700 - RC# 175432
2405508700 - RC# R305744
2405508500 - RC# 255444
2405508500 - RC# 255443
2405640215 - RC# 205175
2405640207 - RC# 195345
2405640203 - RC# 195112
2405640198 - RC# 195421
2405640189 - RC# R301262
2405640195 - RC# 205622
2405640389 - RC# 205111
2405640308 - RC# 205487
2405640309 - RC# 205111
2405530900 - RC# 255857
2405530800 - RC# 265639
2405640626 - RC# PB208146
2405531103 - RC# 225236
2405806000 - RC# 195547
2405531108 - RC# 235147
2405531038 - RC# 225327
2405531124 - RC# 225262
2405531148 - RC# 245623
2405531133 - RC# 225239
2405531390 - RC# 245225
2405531391 - RC# 265766
2405642700 - RC# 155306
2405531415 - RC# 255865
2405531500 - RC# R304067
2405531500 - RC# R304066
2405532014 - RC# 245461
2405531501 - RC# 065490
2405513064 - RC# 245642
2405513024 - RC# 235724
2405824200 - RC# D220000
2405824200 - RC# 205728
2405824200 - RC# 235118
2405824200 - RC# 265053
2405824200 - RC# 265104
2405843006 - RC# 165648
2405843006 - RC# 165650
2405843006 - RC# 185650
2405841700 - RC# 215253
2405841400 - RC# 215413
2405837600 - RC# 215677
2405832500 - RC# 255830
2405835700 - RC# 225297
2405833200 - RC# 215307
2405844800 - RC# 265036
2405834300 - RC# 215128
2405833800 - RC# 215301
2405811300 - RC# 195423
2405803504 - RC# 195537
2405824300 - RC# 215894
2405812400 - RC# 205347
2405813900 - RC# 205098
2405822601 - RC# 185647
2405821700 - RC# 205284
2405813100 - RC# 165508
2405820300 - RC# 195760
2405820700 - RC# 195780
2405512931 - RC# 235116
2405512926 - RC# 255347
2405512600 - RC# 175120
2405512500 - RC# R301987
2405512701 - RC# 065045
2405512701 - RC# 185538
2405786305 - RC# 225021
2405513507 - RC# 075413
2405513505 - RC# 245643
2405513505 - RC# 245631
2405513505 - RC# 245620
2405513505 - RC# 245519
2405513505 - RC# 245583
2405513505 - RC# 245519B
Rattletrack Road
Roxeston
Selwyn
DISTRICT COUNCIL
0
187.5
375
562.5
750
Metres
Date: 27/10/2026
Cadastral Information dervided from Land Information New Zealand's Digital Cadastral Database (DCDB)
CROWN COPYRIGHT RESERVED
Approved for internal reproduction by Selwyn District Council
Digital Licence No.133562-01
Data Projection: NZGD2000 New Zealand Transverse

| Assessment_ID | RC Number | Proposal | Decision Date |
|---|---|---|---|
| 2405514211 | 265457 | To undertake a 2 lot residential subdivision | 2026-06-12 |
| 2405514211 | 265458 | To establish a residential unit not complying with the outlook space requirement and to construct a vehicle accessway with a non-complying width. | 2026-06-12 |
| 2405514220 | 265089 | to erect a residential unit not complying with the minimum glazing requirement and to construct a vehicle crossing within the required setback from an intersection. | 2026-03-26 |
| 2405514224 | 265475 | To undertake a subdivision to create 2 residential lots | 2026-06-24 |
| 2405514224 | 265476 | To erect a residential unit not complying with the outlook space requirement. To construct two vehicle crossings on one allotment. To construct a vehicle crossing within the required setback from an intersection | 2026-06-24 |
| 2405514244 | 265632 | To erect a residential unit & garage with non-complying glazing and garage depth | 2026-08-24 |
| 2405514245 | 265221 | To construct a residential unit non-complying with the minimum glazing requirement. | 2026-04-22 |
| 2405514247 | 265228 | To establish a residential unit and attached garage within the road boundary setback, and to construct a vehicle crossing within the required setback from an intersection | 2026-04-28 |
| 2405514264 | 265173 | To establish a residential unit and a vehicle crossing that does not comply with the required setback to an intersection | 2026-04-07 |
| 2405515301 | 265264 | Variation of a consent notice pursuant to section 221 as it relates to erecting two residential units on the site, where only one unit is permitted | 2026-09-03 |
| 2405515303 | 265313 | To erect a residential unit not complying with the minimum glazing requirements and to construct a vehicle crossing within the required setback from an intersection | 2026-05-15 |

| | | | |
|---|---|---|---|
| 2405515305 | 265447 | To erect a residential unit not complying with the outlook space requirement | |
| 2405515324 | 265086 | To establish a residential unit that does not meet the vehicle crossing requirements. | 2026-03-04 |
| 2405515326 | 265611 | To construct a vehicle crossing within the required setback from an intersection | 2026-08-31 |
| 2405515329 | 265363 | To establish a residential unit that does not meet the vehicle crossing requirements. | 2026-06-04 |
| 2405514015 | 265063 | To establish a retirement village, with a 10-year lapse date. | 2026-07-06 |
| 2405515345 | 265625 | To erect two residential units which do not comply with an internal boundary setback, primary pedestrian entrance and outlook space. | 2026-09-03 |
| 2405515348 | 265280 | To construct a vehicle crossing within the required setback from an intersection | 2026-05-13 |
| 2405515351 | 265239 | Land use consent for the construction of a residential unit with non-complying glazing and outlook space requirements. | 2026-04-28 |
| 2405515361 | 265082 | To erect a residential unit and attached garage exceeding building coverage and to construct a vehicle crossing within the minimum intersection setback. | 2026-03-12 |
| 2405515454 | 265124 | To establish a vehicle crossing within the required setback from an intersection. | 2026-03-15 |

## IMPORTANT INFORMATION TO ALL NEW HOME/LAND OWNERS

## STREET TREES AND IRRIGATION

The Selwyn District Council would like to make all new home/land owners and their contractors aware of the process of gaining approval to relocate/remove street trees, or alter Council irrigations systems.

In some areas of the Selwyn District, various types of linked dripper irrigation systems are installed to water establishing street trees. In some cases, the system has not been installed very deep in the ground. It is particularly important that any contractors who are going to be excavating within road berms are aware of this and excavate carefully to locate irrigation lines or drippers, or seek assistance from Council as to their presence/location before excavating. Similarly, care should be taken when excavating near street trees to avoid damage to tree roots.

The developer has put a lot of effort into enhancing the streetscape and providing an attractive environment within your subdivision. It is accepted that in some cases when a new home is built, a planted street tree and associated irrigation system may need to be shifted or removed to facilitate vehicle access to the site. Upon formal request, Council will consider giving approval for such changes to the initial planting plan or irrigation system on a case by case basis, after exploring all alternative options available.

Where is has been qualified that trees can be removed or relocated and/or an irrigation system needs to be shifted, then these works are to be organised by Council and/or the Developer and carried out by one of their approved contractors. All costs associated with these works are to be borne by the requesting land owner.

Please be aware, that in some situations, street trees can be removed and landscaping in a subdivision might still be under the management of the developer. In such cases, Council should still be contacted in the first instance, who will forward the request onto the developer for a response.

The following procedure is to be followed by a land owner who is wanting to request removal or relocation of a street tree and/or associated irrigation systems, in order to facilitate vehicle accessto their property.

Requests for the removal or shifting of a tree must be made in writing to the Council Reserves Department stating:

- Street address of the property and the lot number;
- Name of the contact person;
- Contact details;
- Reason for the tree to be removed

On receipt of this formal request, Council staff will assess the following:

- Quality of the tree and whether or not the tree can successfully be moved;
- Whether an irrigation system is present and also needs shifting or decommissioning;
- Any conditions of sale by the developer;
- Any Resource Consent conditions;
- Streetscape theme and amenity value contribution of the tree.

If a tree is not able to be shifted and has to be removed, the landowner may also be required to pay for the cost to plant another tree of the same species and of similar size within the road berm as a replacement.

If an agent of the land owner makes the request to Council, then the agent is deemed to the person responsible for the payment of all expenses relating to this procedure.

CARE FOR ESTABLISHING STREET TREES

Although the Developer and/or Council endeavours to water in newly planted street trees during their initial establishment years, the public is encouraged to assist with watering trees on your road berm. Establishing a tree in an urban environment faces many challenges so give your tree the best chance of reaching its full potential and value.

Council implements an annual programme of street tree inspections and maintenance throughout the district. Street tree maintenance is the responsibility of the Council, who employs a contractor to provide arboricultural services. It is critical that any other tree maintenance required is undertaken by our appointed contractor to ensure consistency in both quality and tree form.

Please contact us by lodging a Service request if you tree requires any tree maintenance.

Thank you for your assistance and co-operation

Reserves Maintenance Staff
**Selwyn District Council**

# Be water wise

Reducing water use is important as Selwyn households tend to be high users of water. Residential properties connected to a Council supply used an average of 1,470 litres of water per day in 2012/13 and 1,386 litres per day in 2011/12. As a comparison, typical household use in New Zealand is around 675 litres per day.

Part of the reason why Selwyn households have higher water consumption is because properties tend to have large sections and over dry summers water use can increase significantly. Additional bores can be added to increase the capacity of Council water supplies, but this is costly and unsustainable.

Over summer, demand for water is much higher than in winter, as people use more water to maintain their lawns. When demand for water is very high during dry summers, water restrictions can be introduced if necessary.

Demand is especially high at the peak times of 6–9am in the morning and 4–9pm in the evening, when people use water for cooking, washing and dishwashers, and often water their lawns at the same time.

We are asking everyone to be careful about how they use water, especially in summer when there is more demand for water. Some areas like Rolleston and Darfield also pay for their water based on metered use so reducing your water consumption will mean you spend less on water bills.

## How much water do you use?

This chart shows the amount of water typically used for different household activities. Once you know where your water is going, you can think about how you could reduce your water use. If your water is metered and billed this will help reduce how much you spend on water.

| **Kitchen**—Activity | Water used | Buckets |
|---|---|---|
| Dishwashing by Hand | 12 to 15 litres per wash | 1 – 1½ |
| Dishwasher | 20 to 60 litres per wash | 2 – 6 |
| Drinking, Cooking, Cleaning | 8 litres per person | ¾ – 1 |
| **Bathroom**—Activity | Water used | Buckets |
| Toilet | 4.5 to 11 litres per flush | ½–1 |
| Bath | 50 to 120 litres (half full) | 5 – 12 |
| Shower (8 minutes) | 70 to 160 litres per 8 minutes | 7 – 16 |
| Handbasin | 5 litres | ½ |
| Tap Running (Cleaning teeth, washing hands) | 5 litres | ½ |
| Leaking Tap | 200 litres | 20 |
| **Laundry**—Activity | Water used | Buckets |
| Washing Machine (Front loading) | 23 litres per kg of dry clothing | 4 – 5 |
| Washing Machine (Top Loading) | 31 litres per kg of dry clothing | 5 – 6 |
| **Outside**—Activity | Water used | Buckets |
| Hand Watering by Hose | 600 to 900 litres per hour | 60 – 90 |
| Garden Sprinkler | Up to 1500 litres per hour | 150 |
| Car Wash with Hose | 100 to 300 litres | 10 – 30 |
| Filling Swimming Pool | 20,000 to 50,000 litres | 2,000–5,000 |
| Leaking Pipe (1.5mm hole) | 300 litres per day | 30 |



# Tips for managing your water use

## You can help manage your water consumption wisely by following these tips:

### Your garden and lawn

- Water your garden and lawn every few days rather than every day. Wetting the soil surface every day encourages roots to develop at the surface, making them more vulnerable to hot dry spells.
- Water your garden and lawn outside of peak water usage hours (avoid 6am–9am, and 4pm–9pm). Watering in the early morning (before 6am) or late evening (after 9pm) will minimise evaporation loss. Also avoid watering in a Nor' West wind as the water will quickly evaporate.
- Using a watering can or hand watering plants by hose often uses far less water than a sprinkler.
- Use a timer to avoid overwatering as it makes plants more susceptible to fungus diseases and will leach out soil nutrients.
- Use mulch or cover the soil with a layer of organic matter to keep the soil moist. Mulches help protect plant roots from drying effects of sun and wind and also reduce weed growth.
- Check if the soil needs watering by digging down with a trowel and having a look. This is a more accurate way to see if watering is needed than looking at the surface.
- Check you have the right head for your sprinkler. Sprinklers should apply water gently so that it seeps into the soil. Some sprinklers apply water faster than the soil can absorb.
- When planting choose drought resistant plants that don't require a lot of water.



### Outdoors

- Wash your car with a bucket of water rather than a hose.
- Use a broom rather than hosing down paths and driveways.
- Inspect hoses and taps both indoors and outdoors to check for leaks which waste water.
- Collect rainwater for use watering gardens and lawns.
- If you have a swimming pool, keep it covered to stop the water evaporating.

### Indoors

- Reduce your water consumption at the peak times of 6-9am and 4-9pm. Easy ways to do this include using your washing machine after 9pm at night, and putting your dishwasher on just before you go to bed.
- Take a short shower instead of a bath.
- Don't switch on the dishwasher or washing machine until you have a full load.
- Use a half flush when using the toilet.